

CUSTOM TRUCK BODIES AND MANUFACTURING

16339 Lima Rd., P.O. Box 686 • Huntertown, IN 46748-0686
Phone: 260-637-3177 • 800-551-9341 • FAX 260-637-6880
E-mail: hhequip@verizon.net • Web: www.hhsalescompany.com

©2004 H&H Sales Company, Inc.

Give your operation a lift with an H&H crane-equipped truck body



Model 96-132KM with hydraulic outriggers and 6406H crane.

For LP-Gas handling or field service/heavy equipment installations H&H crane-equipped truck bodies make loading, hauling, and unloading manageable, one-man job. That means you can make service, installation, and delivery calls in a lot less time at a lot better profit.

Our crane-equipped body styles are available in several models to fit any one-ton truck chassis. Each truck body is ruggedly constructed and loaded with convenient, functional features to keep your company ahead of competition. We can also outfit bodies on larger chassis.



Model 96-132KM with 5005HPE crane from street side.

Crane Selection

The heavy-duty, all-hydraulic Auto Crane 5005HPE shown above is one of the units offered on H&H crane-equipped truck bodies. It features an extendable 20 ft. boom,

370° power rotation, and lifting capacities of 5,000 lb. at 5 ft. and 1,250 lb. at 20 ft. Cranes up to 38,000 lb. available. Other brands of cranes are also available.

H&H™ Service and Installation



Model 96-144EM with aluminum tool boxes (above) and galvanized steel tool boxes (left).

The 96-132KM Series Crane Body is designed with storage space on the curb side, thus allowing the street side open to accommodate loading of tanks or heavy equipment. The rear curb side cabinet is reinforced and can handle up to a 38,000 ft. lb. crane. This rear curb side crane mount provides excellent versatility and efficiency when loading or unloading heavy or bulky equipment. (Crane and storage compartments can be mounted on street side if desired). H&H rugged construction features 3/16" tread plate on bed and 1/8" on compartment tops and backs. Body is 14 gauge galvanized steel. The 67 cubic ft. of storage space offers optional shelves and drawer assemblies. We offer

three different size cranes to meet your equipment handling requirements.

H&H provides EM Series service/installation bodies in 120", 144", 168" and 180" lengths. These functional bodies have no raised wheel wells, so you can use the entire bed. Steel

"D" rings are standard on all bodies for securing loads.

Front mounted service boxes are available for keeping tools and small parts organized. The boxes are keyed alike, reinforced on the outside edges and base, and measure 42" high x 36" wide x 14" deep.



Model 96-144EM with 1500 lb. capacity lift gate.

Crane Bodies

Additional boxes can be mounted behind front box.

Other features can include DOT mounting kit, mud flaps, trailer electrical connector, rear bumper and receiver tube with slide-out adapter and 2-5/16" ball, moisture-proof ICC approved lighting, underbody rust protection, and acrylic enamel paint finish. LED lights also available.

All-purpose 10' or 12' EMGC Series truck bodies team the crane of your choice with a 24" x 44" In-Bed™ hydraulic lift platform capable of lifting 1250 lb. That means outstanding versatility.

Standard EMGC Series features include DOT mounting kit, rear wheel mud flaps, undercoated frame and flooring for rust protection, DOT required decals.

In-Bed™ lift platform makes loading and unloading cylinders and other equipment easy. Hydraulic control provides a smooth lift. Outside safety lock keeps gate securely in place.



Model 96-169KM with front mounted, street-side tool boxes and hydraulic outriggers (above).

Model 96-132KM with custom 12-inch floor extension (below).



MODEL	OVERALL WIDTH	FLOOR LENGTH	APPROX. WEIGHT	CHASSIS REQ. CA	CRANE MOUNT	REQUIRED CRANE BASE	REAR HITCH
96-120-EM	96"	120"	1825 lb.	60"	REAR	18"H	Std.
96-144-EM	96"	144"	2190 lb.	84"	REAR	18"H	Std.
96-168-EM	96"	168"	2560 lb.	108"	REAR	18"H	Std.
96-180-EM	96"	180"	2740 lb.	120"	REAR	18"H	Std.
10-EMGC	96"	120"	2000 lb.	60"	FRONT	18"H	Opt.
12-EMGC	96"	144"	2500 lb.	84"	FRONT	18"H	Opt.
96-108KM	96"	108"	2388 lb	60"	REAR	CABINET MOUNT	Std.
96-132KM	96"	132"	2811 lb	84"	REAR	CABINET MOUNT	Std.
96-169KM	96"	169"	3622 lb	108"	REAR	CABINET MOUNT	Std.

All bodies have 3/16" steel treadplate floor standard. (3/16 x 1" type 19W4 open bar grate floor is optional)

All bodies have 3" x 4.1# structural channel floor cross members (KM utilizes some tubing structure.)

All bodies meet FMVSS 108 and ICC standards for vehicle lighting.

All bodies have tie-down loops either bolted or welded to floor (bar grate floor has recessed tie-down loops.)

Max. crane: 6000 lb. Capacity or 38,000 ft. lb./Minimum chassis GVWR for 6000 lb. Crane: 17,500 lb.

See separate specification pages for tool box dimensions.

Options



Equipto® pull out drawer unit.



Outrigger shown in down position.



Underbed concrete block holder.



Chock block holder.



Double utility cabinet with optional over-the-wheel cabinet.



Full bumper arrangement.



Bumper shown with optional vise. Removable vise mounting bracket is also available.



Drop down/removable side railing, shown up.



Optional drop down/removable side railing.



Tie down loop (standard).



EMGC models feature a standard In-Bed™ lift gate.

H&H™ SALES COMPANY, INC.
d/b/a H&H Equipment Co.

CUSTOM TRUCK BODIES AND MANUFACTURING

16339 Lima Rd., P.O. Box 686 • Huntertown, IN 46748-0686
Phone: 260-637-3177 • 800-551-9341 • FAX 260-637-6880
E-mail: hhequip@verizon.net • Web: www.hhsalescompany.com

H&H Sales Company reserves the right to change specifications and component parts without notice.

